



**PRODUCT NUMBER: 2332524**  
**SKELETON Nit 5**

Handling of heavy parts with high cut risks in oily or greasy environment. Shock absorber pad on top of the hand to protect metacarpian and fingers.

**Honeywell**

## Översikt

**Reference Number**

2332524

**Product Type**

Handskar

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Green Spaces
- Iron and steel industry
- Metal steel
- Mining and Quarrying
- Offshore
- Ship Building
- Wood Industries

**Product Use**

Handling of heavy parts with high cut risks in oily or greasy environment. Shock absorber pad on top of the hand to protect metacarpian and fingers.

## Features & Benefits

**Feature**

Knitted glove in composite and para-aramid yarn.

**Benefit**

The knitting technique provides the glove with excellent fit and high dexterity. The composite yarn is reliable and safe protection. The para-aramid yarn assure a resistance to the contact heat and cut risks.

**Feature**

Plated polyamide inside

**Benefit**

Offer a greater comfort and limit the contact of the skin with composite fiber

**Feature**

Black nitrile foam coating on palm.

**Benefit**

Nitrile coating provides good protection against oil and grease. The foam coating makes the glove more flexible than standard nitrile.

**Feature**

Rubber pad on top of the hand and fingers

**Benefit**

Helps to protect metacarpian and fingers from shocks.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks  
 In accordance with standards :  
 EN 420-03 EEC Basic standards  
 EN 388-03 Mechanical hazards

CHARACTERISTICS :Knitted glove in composite and para-aramid yarn.  
 Plated polyamide.  
 Black nitrile foam coating on palm.  
 Rubber pads on top of the hand and fingers

**Product Technology**

Knitted dipped

**Fiber**

Para-aramid and composite

**Gauge**

13

**Glove/liner color**

Yellow and green

**Coating Type**

Nitrile foam

**Coating Color**

black

**Length**

25 cm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 5

**Sizes**

7 to 10

**EN 407 - Heat and/or Fire**

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance (Coupe test)	5
Tear resistance	4

Puncture resistance

2

## Packaging Label

### Tagging

CE HONEYWELL  
2332524 XX  
EN 420  
EN 388 : 4542  
EN 407 : X1XXXX

## Certifications

### EU Category PPE

2

### EU Certification

2332524

## Ytterligare information

### User Manual

UI 106

### User Information Sheet

106

## Maintenance

### Storage Information

Minimum packaging 10 pairs.

Cartons of 100 pairs.

### Care Instructions

This article can be cleaned. For cleaning instructions please contact Honeywell safety products